

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 04/07/2006

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/753,669	01/08/2004	Donald C. Roe	7537CQ	1141
27752 75	7590 04/07/2006 EXAMINER			
THE PROCT	ER & GAMBLE CO	STEPHENS, JA	STEPHENS, JACQUELINE F	
INTELLECTUAL PROPERTY DIVISION				
WINTON HILL TECHNICAL CENTER - BOX 161			ART UNIT	PAPER NUMBER
6110 CENTER HILL AVENUE			3761	
CINCINNATI,	OH 45224			

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/753,669	ROE ET AL.				
Office Action Summary	Examiner	Art Unit				
	Jacqueline F. Stephens	3761				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)  Responsive to communication(s) filed on      2a)  This action is FINAL. 2b)  This      3)  Since this application is in condition for allowant closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro					
Disposition of Claims						
4) Claim(s) 1-52 is/are pending in the application.  4a) Of the above claim(s) is/are withdraw  5) Claim(s) is/are allowed.  6) Claim(s) is/are rejected.  7) Claim(s) is/are objected to.  8) Claim(s) are subject to restriction and/or  Application Papers  9) The specification is objected to by the Examine	vn from consideration. r election requirement.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 1/8/04.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-, as best understood by the examiner, are rejected under 35 U.S.C. 102(b) as being unpatentable over Everhart et al. USPN 5468236.

As to claims 1-10 and 40-47 Everhart teaches a disposable absorbent article comprising a sensor for detecting analytes in bodily waste or on a user's skin. Everhart discloses a disposable article comprising a topsheet **14**, a backsheet **12**, and an absorbent core **16** as claimed ('236 Figure 2). Everhart disclose the target analyte may include a health or nutritional marker ('236 col. 3, lines 10-29), which may be an enzyme, endogenous secretion, proteinaceous matter, or microorganism (col. 3, lines 56-65).

Regarding claim 11, 15-20,26-35, the invention of Everhart provides a visual indication of a substance upon reacting with body excrement. Body excrement, particularly perspiration, may not necessarily provide clinically observable symptoms, such as a skin rash. In this manner, the invention of Everhart would provide information to the wearer prior to clinically visible symptoms. The sensor provides a signal to the wearer, caregiver, or an actuator ('236 Abstract) as broadly as claimed.

Regarding claims 21 and 23, the sensor is affixed to a substrate ('236, col. 6, lines 4-6).

Regarding claims 22 and 24, the sensor is detachable from the article ('236 col. 6, lines 26-32).

Regarding claims 25 and 48, the sensor may adhere to a wearer's skin ('237, Abstract).

## Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 5. Claims 36-39 and 49-52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Everhart. Everhart describes a biosensor for detecting a target

Art Unit: 3761

analyte upon excretion of bodily fluids or waste materials. Everhart provides a response within a period of time that stays valid until the article is discarded. The response factor would have been obvious by optimizing the type of biosensor materials since the invention of Everhart is used in the same environment and problem that is solved is the same as the claimed invention. Moreover, discovering optimum values only involves routine skill in the art, In re Boesch, 617 F. 2d 272, 205 FUSPQ 215 (CCPA 1980).

6. Claims 12-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Everhart in view of Al-Sabah USPN 5868723. Everhart disclose the present invention substantially as claimed. However, Everhart fail to disclose the disposable article has a transducer and an actuator. Al-Sabah discloses an absorbent article comprising an acoustic transducer 29 and an actuator 43, which comprises a power source 42(Figure 7). The actuator performs a responsive function when the sensor detects an input (Abstract). It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate a transducer as taught in Al-Sabah to the sensor apparatus of Everhart. Doing so would provide a means for alerting the user or a health care professional of the presence of the target analyte.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacqueline F. Stephens whose telephone number is (571) 272-4937. The examiner can normally be reached on Monday-Friday 9:00-5:30.

Art Unit: 3761

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tanya Zalukaeva can be reached on (571) 272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

racqueline F Stephens Primary Examiner

Art Unit 3761

March 31, 2006